


## Claims







1. An indazole compound represented by the following formula (I):



wherein

R<sup>1</sup> is a hydrogen atom, an optionally substituted alkyl, an optionally substituted phenyl or an optionally substituted aromatic heterocyclic ring, and

R<sup>2</sup> is any of the following formula (II) to the following formula (VII),



wherein

in the formula (II),

-----

is a single bond or a double bond,

in the formulas (II) and (III),

s is an integer of 1 or 2,

t is an integer of 1 or 2,

$R^3$  is a hydrogen atom, a halogen atom, an optionally substituted alkyl, a hydroxyl, an alkoxy, a carboxy or an alkoxycarbonyl,  
 ring  $Ar^1$  is an aryl or an aromatic heterocyclic ring,  
 $R^4$ ,  $R^{4'}$ ,  $R^{4''}$  are the same or different and each is a hydrogen atom, a halogen atom, an optionally substituted alkyl, an optionally substituted alkenyl, an optionally substituted alkynyl, a hydroxyl, an alkoxy, a carboxy, an alkoxycarbonyl, an acyl,  $-O(C=O)R^{4a}$  (wherein  $R^{4a}$  is an optionally substituted  $C_{1-6}$  alkyl),  $-(C=O)NR^{4a'}R^{4a''}$  (wherein  $R^{4a'}$  and  $R^{4a''}$  are the same or different and each is a hydrogen atom or an optionally substituted  $C_{1-6}$  alkyl, or  $R^{4a'}$  and  $R^{4a''}$  are taken together to form an optionally substituted 5- to 7-membered non-aromatic heterocyclic ring),  $-NH(C=O)R^{4a}$  (wherein  $R^{4a}$  is an optionally substituted  $C_{1-6}$  alkyl),  $-SO_2NR^{4a'}R^{4a''}$  (wherein  $R^{4a'}$  and  $R^{4a''}$  are the same or different and each is a hydrogen atom or an optionally substituted  $C_{1-6}$  alkyl, or  $R^{4a'}$  and  $R^{4a''}$  are taken together to form an optionally substituted 5- to 7-membered non-aromatic heterocyclic ring),  $-NHSO_2R^{4a}$  (wherein  $R^{4a}$  is an optionally substituted  $C_{1-6}$  alkyl), an amino, an alkylamino,  $-SR^{4a}$  (wherein  $R^{4a}$  is an optionally substituted  $C_{1-6}$  alkyl),  $-SO_2R^{4a}$  (wherein  $R^{4a}$  is an optionally substituted  $C_{1-6}$  alkyl), a cyano, an optionally substituted phenyl or an optionally substituted heterocyclic ring, or  $R^4$  and  $R^{4'}$  are taken together to form an  $C_{1-3}$  alkylenedioxy, and  
 $R^5$  is absent, or a hydrogen atom, a halogen atom, an optionally substituted alkyl, a hydroxyl, an alkoxy, an alkoxycarbonyl, an acyl,  $-(C=O)NR^{5a}R^{5a'}$  (wherein  $R^{5a}$  and  $R^{5a'}$  are the same or different and each is a hydrogen atom or an optionally substituted  $C_{1-6}$  alkyl),  $-NH(C=O)R^{5a''}$  (wherein  $R^{5a''}$  is an optionally substituted  $C_{1-6}$  alkyl), an amino, an alkylamino,  $-SR^{5a}$  (wherein  $R^{5a}$  is a hydrogen atom or an optionally substituted  $C_{1-6}$  alkyl) or a cyano,

in the formulas (IV) and (V),

-----

is a single bond or a double bond,

Y is a carbonyl,  $\text{NR}^{10}$ , an oxygen atom or a sulfur atom,  
5 wherein  $\text{R}^{10}$  is a hydrogen atom, an optionally substituted  
alkyl, an acyl, an alkoxycarbonyl or  $-\text{SO}_2\text{R}^{10a}$  (wherein  $\text{R}^{10a}$   
is an optionally substituted  $\text{C}_{1-6}$  alkyl or an optionally  
substituted phenyl),

ring  $\text{Ar}^2$  is a phenyl or an aromatic heterocyclic ring,

10  $\text{R}^6$  and  $\text{R}^{6'}$  are the same or different and each is a hydrogen  
atom, a halogen atom, an optionally substituted alkyl, an  
optionally substituted alkenyl, an optionally substituted  
alkynyl, a hydroxyl, an alkoxy, a carboxy, an

alkoxycarbonyl, an acyl,  $-\text{O}(\text{C}=\text{O})\text{R}^{6a}$  (wherein  $\text{R}^{6a}$  is an  
15 optionally substituted  $\text{C}_{1-6}$  alkyl),  $-(\text{C}=\text{O})\text{NR}^{6a'}\text{R}^{6a''}$  (wherein  
 $\text{R}^{6a'}$  and  $\text{R}^{6a''}$  are the same or different and each is a

hydrogen atom or an optionally substituted  $\text{C}_{1-6}$  alkyl, or  
 $\text{R}^{6a'}$  and  $\text{R}^{6a''}$  are taken together to form an optionally  
substituted 5- to 7-membered non-aromatic heterocyclic  
20 ring),  $-\text{NH}(\text{C}=\text{O})\text{R}^{6a}$  (wherein  $\text{R}^{6a}$  is an optionally substituted  
 $\text{C}_{1-6}$  alkyl),  $-\text{SO}_2\text{NR}^{6a'}\text{R}^{6a''}$  (wherein  $\text{R}^{6a'}$  and  $\text{R}^{6a''}$  are the same  
or different and each is a hydrogen atom or an optionally  
substituted  $\text{C}_{1-6}$  alkyl, or  $\text{R}^{6a'}$  and  $\text{R}^{6a''}$  are taken together to  
form an optionally substituted 5- to 7-membered non-

25 aromatic heterocyclic ring),  $-\text{NHSO}_2\text{R}^{6a}$  (wherein  $\text{R}^{6a}$  is an  
optionally substituted  $\text{C}_{1-6}$  alkyl), an amino, an  
alkylamino,  $-\text{SR}^{6a}$  (wherein  $\text{R}^{6a}$  is an optionally substituted  
 $\text{C}_{1-6}$  alkyl), a cyano, an optionally substituted phenyl or  
an optionally substituted heterocyclic ring, or

30  $\text{R}^4$  and  $\text{R}^{4'}$  are taken together to form a  $\text{C}_{1-3}$  alkylenedioxy,  
and





$\text{R}^7$  is a hydrogen atom or an optionally substituted alkyl,  
in the formula (VI),

35 X and W are any of  $\text{C}(=\text{O})$  and O,  $\text{C}(=\text{O})$  and  $\text{NR}^{11}$ , and  $\text{NR}^{11}$  and  
 $\text{C}(=\text{O})$ ,

wherein  $R^{11}$  is a hydrogen atom or an optionally substituted alkyl,  
 ring  $Ar^2$  is a phenyl or an aromatic heterocyclic ring, and  
 $R^6$  and  $R^{6'}$  are the same or different and each is a hydrogen  
 atom, a halogen atom, an optionally substituted alkyl, an  
 optionally substituted alkenyl, an optionally substituted  
 alkynyl, a hydroxyl, an alkoxy, a carboxy, an  
 alkoxycarbonyl, an acyl,  $-O(C=O)R^{6a}$  (wherein  $R^{6a}$  is an  
 optionally substituted  $C_{1-6}$  alkyl),  $-(C=O)NR^{6a'}R^{6a''}$  (wherein  
 $R^{6a'}$  and  $R^{6a''}$  are the same or different and each is a  
 hydrogen atom or an optionally substituted  $C_{1-6}$  alkyl, or  
 $R^{6a'}$  and  $R^{6a''}$  are taken together to form an optionally  
 substituted 5- to 7-membered non-aromatic heterocyclic  
 ring),  $-NH(C=O)R^{6a}$  (wherein  $R^{6a}$  is an optionally substituted  
 $C_{1-6}$  alkyl),  $-SO_2NR^{6a'}R^{6a''}$  (wherein  $R^{6a'}$  and  $R^{6a''}$  are the same  
 or different and each is a hydrogen atom or an optionally  
 substituted  $C_{1-6}$  alkyl, or  $R^{6a'}$  and  $R^{6a''}$  are taken together to  
 form an optionally substituted 5- to 7-membered non-  
 aromatic heterocyclic ring),  $-NHSO_2R^{6a}$  (wherein  $R^{6a}$  is an  
 optionally substituted  $C_{1-6}$  alkyl), an amino, an  
 alkylamino,  $-SR^{6a}$  (wherein  $R^{6a}$  is an optionally substituted  
 $C_{1-6}$  alkyl), a cyano, an optionally substituted phenyl or  
 an optionally substituted heterocyclic ring, or  
 $R^4$  and  $R^{4'}$  are taken together to form a  $C_{1-3}$  alkylenedioxy,  
 and  
 in the formula (VII),  
 Z is a carbon atom or a nitrogen atom,  
 ring  $Ar^2$  is a phenyl or an aromatic heterocyclic ring, and  
 $R^6$  and  $R^{6'}$  are the same or different and each is a hydrogen  
 atom, a halogen atom, an optionally substituted alkyl, an  
 optionally substituted alkenyl, an optionally substituted  
 alkynyl, a hydroxyl, an alkoxy, a carboxy, an  
 alkoxycarbonyl, an acyl,  $-O(C=O)R^{6a}$  (wherein  $R^{6a}$  is an  
 optionally substituted  $C_{1-6}$  alkyl),  $-(C=O)NR^{6a'}R^{6a''}$  (wherein  
 $R^{6a'}$  and  $R^{6a''}$  are the same or different and each is a

hydrogen atom or an optionally substituted C<sub>1-6</sub> alkyl, or R<sup>6a'</sup> and R<sup>6a''</sup> are taken together to form an optionally substituted 5- to 7-membered non-aromatic heterocyclic ring), -NH(C=O)R<sup>6a</sup> (wherein R<sup>6a</sup> is an optionally substituted C<sub>1-6</sub> alkyl), -SO<sub>2</sub>NR<sup>6a'</sup>R<sup>6a''</sup> (wherein R<sup>6a'</sup> and R<sup>6a''</sup> are the same or different and each is a hydrogen atom or an optionally substituted C<sub>1-6</sub> alkyl, or R<sup>6a'</sup> and R<sup>6a''</sup> are taken together to form an optionally substituted 5- to 7-membered non-aromatic heterocyclic ring), -NHSO<sub>2</sub>R<sup>6a</sup> (wherein R<sup>6a</sup> is an optionally substituted C<sub>1-6</sub> alkyl), an amino, an alkylamino, -SR<sup>6a</sup> (wherein R<sup>6a</sup> is an optionally substituted C<sub>1-6</sub> alkyl), a cyano, an optionally substituted phenyl or an optionally substituted heterocyclic ring, or R<sup>4</sup> and R<sup>4'</sup> are taken together to form a C<sub>1-3</sub> alkylenedioxy, a pharmaceutically acceptable salt thereof, a hydrate thereof, a water adduct thereof or a solvate thereof.

2. The indazole compound of claim 1, wherein, in the above-mentioned formula (I), R<sup>2</sup> is any of the following formula (II) to the following formula (V),



wherein

in the formula (II),

-----

is a single bond or a double bond,

in the formulas (II) and (III),

s is an integer of 1 or 2,  
t is an integer of 0 to 2,  
R<sup>3</sup> is a hydrogen atom, a halogen atom, an optionally  
substituted alkyl, a carboxyl, an alkoxycarbonyl, a  
5 hydroxy or an alkoxy,  
ring Ar<sup>1</sup> is a phenyl or an aromatic heterocyclic ring,  
R<sup>4</sup>, R<sup>4'</sup> and R<sup>4''</sup> are the same or different and each is a  
hydrogen atom, a halogen atom, an optionally substituted  
alkyl, an alkoxycarbonyl, a hydroxy, an alkoxy, a  
10 sulfonamide, a mercapto, a sulfinyl, a sulfonyl, an amino  
or an alkylamino, and  
R<sup>5</sup> is absent, or a hydrogen atom, a halogen atom, an  
optionally substituted alkyl, a hydroxy, an alkoxy, an  
amino, an alkylamino, a sulfanyl or a cyano, and  
15 in the formulas (IV) and (V),

-----  
is a single bond or a double bond,  
Y is a carbonyl, NR<sup>10</sup>, an oxygen atom or a sulfur atom,  
20 wherein R<sup>10</sup> is a hydrogen atom, an optionally substituted  
alkyl, an acyl, an alkoxycarbonyl or a sulfonyl,  
ring Ar<sup>2</sup> is a phenyl or an aromatic heterocyclic ring,  
R<sup>6</sup> is a hydrogen atom, a halogen atom, an optionally  
substituted alkyl, a cyano, a hydroxy or an alkoxy,  
25 a pharmaceutically acceptable salt thereof, a hydrate thereof,  
a water adduct thereof or a solvate thereof.

3. The indazole compound of claim 1,  
wherein,  
30 in the above-mentioned formula (I),  
R<sup>1</sup> is a hydrogen atom or an optionally substituted alkyl,  
in the above-mentioned formulas (II) and (III),  
s is an integer of 1,  
t is an integer of 2,  
35 R<sup>3</sup> is a hydrogen atom,

ring Ar<sup>1</sup> is a phenyl or a thiophene,  
R<sup>4</sup>, R<sup>4'</sup>, R<sup>4''</sup> are the same or different and each is a hydrogen  
atom, a halogen atom, an optionally substituted alkyl, a  
hydroxy, an alkoxy, -SR<sup>4a</sup> (wherein R<sup>4a</sup> is an optionally  
5 substituted C<sub>1-6</sub> alkyl) or a cyano, and  
R<sup>5</sup> is a hydroxy or a cyano,  
in the above-mentioned formulas (IV) and (V),  
Y is NR<sup>10</sup>,

wherein R<sup>10</sup> is a hydrogen atom or an optionally substituted  
10 alkyl,

ring Ar<sup>2</sup> is a phenyl, and  
R<sup>6</sup> and R<sup>6'</sup> are the same or different and each is a hydrogen  
atom, a halogen atom, an optionally substituted alkyl, a  
hydroxy or an alkoxy,  
15 in the above-mentioned formula (VI),  
X and W are any of C(=O) and O, C(=O) and NR<sup>11</sup>, and NR<sup>11</sup> and  
C(=O),

wherein R<sup>11</sup> is a hydrogen atom,  
ring Ar<sup>2</sup> is a phenyl, and  
20 R<sup>6</sup> and R<sup>6'</sup> are the same or different and each is a hydrogen  
atom, a halogen atom or an optionally substituted alkyl, and  
in the above-mentioned formula (VII),  
ring Ar<sup>2</sup> is a phenyl, and  
R<sup>6</sup> and R<sup>6'</sup> are the same or different and each is a hydrogen  
25 atom, a halogen atom or an optionally substituted alkyl,  
a pharmaceutically acceptable salt thereof, a hydrate thereof,  
a water adduct thereof or a solvate thereof.

4. The indazole compound of claim 1 or 3,  
30 wherein,  
in the above-mentioned formula (I),  
R<sup>1</sup> is a hydrogen atom,  
in the above-mentioned formulas (II) and (III),  
s is an integer of 1,  
35 t is an integer of 2,

R<sup>3</sup> is a hydrogen atom,  
ring Ar<sup>1</sup> is a phenyl,  
R<sup>4</sup>, R<sup>4'</sup>, R<sup>4''</sup> are the same or different and each is a hydrogen  
atom, a halogen atom or an optionally substituted alkyl, and  
5 R<sup>5</sup> is a hydroxy or a cyano, and  
in the above-mentioned formula (IV),  
Y is NR<sup>10</sup>,

wherein R<sup>10</sup> is a hydrogen atom or a methyl,  
a pharmaceutically acceptable salt thereof, a hydrate thereof,  
10 a water adduct thereof or a solvate thereof.

5. The indazole compound of any of claims 1 to 4,  
wherein,  
in the above-mentioned formula (I),  
15 R<sup>1</sup> is a hydrogen atom, and  
in the above-mentioned formula (II),  
s is an integer of 1,  
t is an integer of 2,  
R<sup>3</sup> is a hydrogen atom,  
20 ring Ar<sup>1</sup> is a phenyl,  
R<sup>4</sup>, R<sup>4'</sup>, R<sup>4''</sup> are the same or different and each is a hydrogen  
atom, a halogen atom or an optionally substituted alkyl, and  
R<sup>5</sup> is a hydroxyl,  
a pharmaceutically acceptable salt thereof, a hydrate thereof,  
25 a water adduct thereof or a solvate thereof.

6. The indazole compound of claim 1, which is selected from  
(1) 4-[4-chloro-3-(trifluoromethyl)phenyl]-4-hydroxy-1-  
piperidinecarboxylic acid (1H-indazol-3-yl)amide,  
30 (3) 4-hydroxy-4-[3-(trifluoromethyl)phenyl]-1-  
piperidinecarboxylic acid (1H-indazol-3-yl)amide,  
(4) 4-(4-chlorophenyl)-4-hydroxy-1-piperidinecarboxylic acid  
(1H-indazol-3-yl)amide,  
(6) 4-[3-fluoro-5-(trifluoromethyl)phenyl]-4-hydroxy-1-  
35 piperidinecarboxylic acid (1H-indazol-3-yl)amide,



- (9) 4-[4-fluoro-3-(trifluoromethyl)phenyl]-4-hydroxy-1-piperidinecarboxylic acid (1H-indazol-3-yl)amide,
- (10) 4-hydroxy-4-[4-methyl-3-(trifluoromethyl)phenyl]-1-piperidinecarboxylic acid (1H-indazol-3-yl)amide,
- 5 (12) 4-(3,5-difluorophenyl)-4-hydroxy-1-piperidinecarboxylic acid (1H-indazol-3-yl)amide,
- (15) 4-(3-chloro-4-fluorophenyl)-4-hydroxy-1-piperidinecarboxylic acid (1H-indazol-3-yl)amide,
- (20) 4-(3-chloro-2-fluorophenyl)-4-hydroxy-1-
- 10 piperidinecarboxylic acid (1H-indazol-3-yl)amide,
- (21) 4-(3,4-dichlorophenyl)-4-hydroxy-1-piperidinecarboxylic acid (1H-indazol-3-yl)amide,
- (22) 4-(3-chloro-5-fluorophenyl)-4-hydroxy-1-piperidinecarboxylic acid (1H-indazol-3-yl)amide,
- 15 (23) 4-(4-chloro-3-methylphenyl)-4-hydroxy-1-piperidinecarboxylic acid (1H-indazol-3-yl)amide,
- (24) 4-(3-chlorophenyl)-4-hydroxy-1-piperidinecarboxylic acid (1H-indazol-3-yl)amide,
- (27) 4-(1,3-benzodioxol-5-yl)-4-hydroxy-1-piperidinecarboxylic
- 20 acid (1H-indazol-3-yl)amide,
- (28) 4-hydroxy-4-(3-methylphenyl)-1-piperidinecarboxylic acid (1H-indazol-3-yl)amide,
- (29) 4-(3-cyanophenyl)-4-hydroxy-1-piperidinecarboxylic acid (1H-indazol-3-yl)amide,
- 25 (30) 4-hydroxy-4-[3-(methylthio)phenyl]-1-piperidinecarboxylic acid (1H-indazol-3-yl)amide,
- (31) 4-(3-ethylphenyl)-4-hydroxy-1-piperidinecarboxylic acid (1H-indazol-3-yl)amide,
- (33) 4-(2,5-dichlorophenyl)-4-hydroxy-1-piperidinecarboxylic
- 30 acid (1H-indazol-3-yl)amide,
- (34) 4-[3,5-bis(trifluoromethyl)phenyl]-4-hydroxy-1-piperidinecarboxylic acid (1H-indazol-3-yl)amide,
- (35) 4-[2-fluoro-5-(trifluoromethyl)phenyl]-4-hydroxy-1-piperidinecarboxylic acid (1H-indazol-3-yl)amide,
- 35 (36) 4-[2-chloro-5-(trifluoromethyl)phenyl]-4-hydroxy-1-

- piperidinecarboxylic acid (1H-indazol-3-yl)amide,  
(40) 4-cyano-4-(2-methoxyphenyl)-1-piperidinecarboxylic acid  
(1H-indazol-3-yl)amide,  
(42) 4-cyano-4-[3-(trifluoromethyl)phenyl]-1-  
5 piperidinecarboxylic acid (1H-indazol-3-yl)amide,  
(43) 4-cyano-4-(2-fluorophenyl)-1-piperidinecarboxylic acid  
(1H-indazol-3-yl)amide,  
(44) 4-[4-chloro-3-(trifluoromethyl)phenyl]-4-cyano-1-  
piperidinecarboxylic acid (1H-indazol-3-yl)amide,  
10 (46) 4-(5-bromo-2-thienyl)-4-cyano-1-piperidinecarboxylic acid  
(1H-indazol-3-yl)amide,  
(47) 4-cyano-4-(3,5-difluorophenyl)-1-piperidinecarboxylic  
acid (1H-indazol-3-yl)amide,  
(48) 4-(4-bromo-2-chlorophenyl)-4-cyano-1-piperidinecarboxylic  
15 acid (1H-indazol-3-yl)amide,  
(49) 4-phenyl-1,2,3,6-tetrahydropyridine-1-carboxylic acid  
(1H-indazol-3-yl)amide,  
(50) 4-(4-fluorophenyl)-1,2,3,6-tetrahydropyridine-1-  
carboxylic acid (1H-indazol-3-yl)amide,  
20 (52) 4-(2-fluorophenyl)-1,2,3,6-tetrahydropyridine-1-  
carboxylic acid (1H-indazol-3-yl)amide,  
(53) 4-(3-chloro-4-fluorophenyl)-1,2,3,6-tetrahydropyridine-1-  
carboxylic acid (1H-indazol-3-yl)amide,  
(55) 4-(3-fluorophenyl)-1,2,3,6-tetrahydropyridine-1-  
25 carboxylic acid (1H-indazol-3-yl)amide,  
(56) 4-(2,3-difluorophenyl)-1,2,3,6-tetrahydropyridine-1-  
carboxylic acid (1H-indazol-3-yl)amide,  
(58) 4-(5-chloro-2-thienyl)-1,2,3,6-tetrahydropyridine-1-  
carboxylic acid (1H-indazol-3-yl)amide,  
30 (59) 4-(3-methyl-2-thienyl)-1,2,3,6-tetrahydropyridine-1-  
carboxylic acid (1H-indazol-3-yl)amide,  
(60) 4-(2-thienyl)-1,2,3,6-tetrahydropyridine-1-carboxylic  
acid (1H-indazol-3-yl)amide,  
(61) 4-[3-(trifluoromethyl)phenyl]-1,2,3,6-tetrahydropyridine-  
35 1-carboxylic acid (1H-indazol-3-yl)amide,

- (62) 4-(3,4-dimethoxyphenyl)-1,2,3,6-tetrahydropyridine-1-carboxylic acid (1H-indazol-3-yl)amide,
- (63) 4-[3-(dimethylamino)phenyl]-1,2,3,6-tetrahydropyridine-1-carboxylic acid (1H-indazol-3-yl)amide,
- 5 (64) 1,3,4,9-tetrahydro- $\beta$ -carboline-2-carboxylic acid (1H-indazol-3-yl)amide,
- (65) 9-methyl-1,3,4,9-tetrahydro- $\beta$ -carboline-2-carboxylic acid (1H-indazol-3-yl)amide,
- (66) 9-(2-methoxyethyl)-1,3,4,9-tetrahydro- $\beta$ -carboline-2-
- 10 carboxylic acid (1H-indazol-3-yl)amide,
- (69) 6-(trifluoromethyl)-1,3,4,9-tetrahydro- $\beta$ -carboline-2-carboxylic acid (1H-indazol-3-yl)amide,
- (70) 6-fluoro-1,3,4,9-tetrahydro- $\beta$ -carboline-2-carboxylic acid (1H-indazol-3-yl)amide,
- 15 (71) 7-fluoro-1,3,4,9-tetrahydro- $\beta$ -carboline-2-carboxylic acid (1H-indazol-3-yl)amide,
- (72) 6-chloro-1,3,4,9-tetrahydro- $\beta$ -carboline-2-carboxylic acid (1H-indazol-3-yl)amide,
- (73) 6-methoxy-1,3,4,9-tetrahydro- $\beta$ -carboline-2-carboxylic acid
- 20 (1H-indazol-3-yl)amide,
- (74) 6-hydroxy-1,3,4,9-tetrahydro- $\beta$ -carboline-2-carboxylic acid (1H-indazol-3-yl)amide,
- (75) 7-chloro-1,3,4,9-tetrahydro- $\beta$ -carboline-2-carboxylic acid (1H-indazol-3-yl)amide,
- 25 (76) 7-(trifluoromethyl)-1,3,4,9-tetrahydro- $\beta$ -carboline-2-carboxylic acid (1H-indazol-3-yl)amide,
- (77) 5-fluoro-1,3,4,9-tetrahydro- $\beta$ -carboline-2-carboxylic acid (1H-indazol-3-yl)amide,
- (78) 5-chloro-1,3,4,9-tetrahydro- $\beta$ -carboline-2-carboxylic acid
- 30 (1H-indazol-3-yl)amide,
- (79) 8-methyl-1,3,4,9-tetrahydro- $\beta$ -carboline-2-carboxylic acid (1H-indazol-3-yl)amide,
- (80) 3,4-dihydro[1]benzothieno[2,3-c]pyridine-2-carboxylic acid (1H-indazol-3-yl)amide,
- 35 (81) 6-methyl-1,3,4,9-tetrahydro- $\beta$ -carboline-2-carboxylic acid

- (1H-indazol-3-yl) amide,
- (82) 7-chloro-6-fluoro-1,3,4,9-tetrahydro- $\beta$ -carboline-2-carboxylic acid (1H-indazol-3-yl) amide,
- (83) 7-chloro-6-(trifluoromethyl)-1,3,4,9-tetrahydro- $\beta$ -carboline-2-carboxylic acid (1H-indazol-3-yl) amide,
- 5 (93) 4-[4-chloro-3-(trifluoromethyl)phenyl]-1-piperazinecarboxylic acid (1H-indazol-3-yl) amide,
- (94) 4-[4-fluoro-3-(trifluoromethyl)phenyl]-1-piperazinecarboxylic acid (1H-indazol-3-yl) amide,
- 10 (95) 4-[4-methoxy-3-(trifluoromethyl)phenyl]-1-piperazinecarboxylic acid (1H-indazol-3-yl) amide,
- (97) 4-[3-fluoro-5-(trifluoromethyl)phenyl]-1-piperazinecarboxylic acid (1H-indazol-3-yl) amide,
- (98) 4-(3,4-dichlorophenyl)-1-piperazinecarboxylic acid (1H-indazol-3-yl) amide,
- 15 (99) 4-[2-chloro-5-(trifluoromethyl)phenyl]-1-piperazinecarboxylic acid (1H-indazol-3-yl) amide,
- (100) 4-[3-(trifluoromethyl)phenyl]-1-piperazinecarboxylic acid (1H-indazol-3-yl) amide,
- 20 (103) 5-oxo-1,5-dihydro-2H-chromeno[3,4-c]pyridine-3-carboxylic acid (1H-indazol-3-yl) amide,
- (104) 5-oxo-1,4,5,6-tetrahydrobenzo[c]-2,7-naphthyridine-3-carboxylic acid (1H-indazol-3-yl) amide,
- (105) 3,4-dihydropyrazino[1,2-a]benzimidazole-2-carboxylic acid (1H-indazol-3-yl) amide,
- 25 (106) 3,4-dihydropyrazino[1,2-a]indole-2-carboxylic acid (1H-indazol-3-yl) amide,
- (108) 1-[(dimethylamino)methyl]-1,3,4,9-tetrahydro- $\beta$ -carboline-2-carboxylic acid (1H-indazol-3-yl) amide,
- 30 (109) 6-oxo-1,4,5,6-tetrahydrobenzo[c]-1,7-naphthyridine-3-carboxylic acid (1H-indazol-3-yl) amide,
- (112) 4-[3-(trifluoromethyl)phenyl]piperidine-1-carboxylic acid (1H-indazol-3-yl) amide,
- (116) 4-[4-chloro-3-(trifluoromethyl)phenyl]-4-methoxypiperidine-1-carboxylic acid (1H-indazol-3-yl) amide,
- 35

(117) 4-[4-chloro-3-(trifluoromethyl)phenyl]-3-methylpiperazine-1-carboxylic acid (1H-indazol-3-yl)amide,  
(123) 4-[4-chloro-3-(trifluoromethyl)phenyl]-4-fluoropiperidine-1-carboxylic acid (1H-indazol-3-yl)amide,  
5 (130) 4-(2-fluoro-5-methylphenyl)-4-hydroxy-1-piperidinecarboxylic acid (1H-indazol-3-yl)amide,  
(131) 4-(3-chloro-2-methylphenyl)-4-hydroxy-1-piperidinecarboxylic acid (1H-indazol-3-yl)amide,  
(132) 4-(3-chloro-4-methylphenyl)-4-hydroxy-1-  
10 piperidinecarboxylic acid (1H-indazol-3-yl)amide,  
(134) 4-(3-fluoro-2-methylphenyl)-4-hydroxy-1-piperidinecarboxylic acid (1H-indazol-3-yl)amide,  
(135) 4-(5-fluoro-2-methylphenyl)-4-hydroxy-1-piperidinecarboxylic acid (1H-indazol-3-yl)amide,  
15 (136) 4-(4-fluoro-3-methylphenyl)-4-hydroxy-1-piperidinecarboxylic acid (1H-indazol-3-yl)amide,  
(138) 4-(3-fluoro-5-methylphenyl)-4-hydroxy-1-piperidinecarboxylic acid (1H-indazol-3-yl)amide,  
(139) 4-(2,5-dimethylphenyl)-4-hydroxy-1-piperidinecarboxylic  
20 acid (1H-indazol-3-yl)amide,  
(140) 4-hydroxy-4-[2-methyl-3-(trifluoromethyl)phenyl]-1-piperidinecarboxylic acid (1H-indazol-3-yl)amide,  
(141) 4-hydroxy-4-[2-methyl-5-(trifluoromethyl)phenyl]-1-piperidinecarboxylic acid (1H-indazol-3-yl)amide,  
25 (142) 4-(3,4-dimethylphenyl)-4-hydroxy-1-piperidinecarboxylic acid (1H-indazol-3-yl)amide,  
(143) 4-(3,5-dimethylphenyl)-4-hydroxy-1-piperidinecarboxylic acid (1H-indazol-3-yl)amide, and  
(144) 4-(2,3-dimethylphenyl)-4-hydroxy-1-piperidinecarboxylic  
30 acid (1H-indazol-3-yl)amide,  
a pharmaceutically acceptable salt thereof, a hydrate thereof,  
a water adduct thereof or a solvate thereof.

7. The indazole compound of claim 1, which is 4-hydroxy-4-(3-  
35 methylphenyl)-1-piperidinecarboxylic acid (1H-indazol-3-

yl)amide, a pharmaceutically acceptable salt thereof, a hydrate thereof, a water adduct thereof or a solvate thereof.

8. The indazole compound of claim 1, which is 4-(3-chloro-2-fluorophenyl)-4-hydroxy-1-piperidinecarboxylic acid (1H-indazol-3-yl)amide, a pharmaceutically acceptable salt thereof, a hydrate thereof, a water adduct thereof or a solvate thereof.

9. The indazole compound of claim 1, which is 4-(4-fluorophenyl)-1,2,3,6-tetrahydropyridine-1-carboxylic acid (1H-indazol-3-yl)amide, a pharmaceutically acceptable salt thereof, a hydrate thereof, a water adduct thereof or a solvate thereof.

10. The indazole compound of claim 1, which is 1,3,4,9-tetrahydro- $\beta$ -carboline-2-carboxylic acid (1H-indazol-3-yl)amide, a pharmaceutically acceptable salt thereof, a hydrate thereof, a water adduct thereof or a solvate thereof.

11. The indazole compound of claim 1, which is 4-[4-chloro-3-(trifluoromethyl)phenyl]-1-piperazinecarboxylic acid (1H-indazol-3-yl)amide, a pharmaceutically acceptable salt thereof, a hydrate thereof, a water adduct thereof or a solvate thereof.

12. An agent for the prophylaxis and/or treatment of cancer, which comprises an indazole compound of any one of claims 1 to 11, a pharmaceutically acceptable salt thereof, a hydrate thereof, a water adduct thereof or a solvate thereof.